Regression test

Test run started 2025-08-26T23:48:11Z

Ashes version: 3.32.0

Atmosphere			
Load case set 1			
Load case	Time series	Error score	
Default	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS

	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Defined air density	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS

	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS

	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Density from parameters	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS

	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Defined viscosity	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS

	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS

	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Viscosity from parameters	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS

	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
User defined atm pressure	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS

	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS

	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Pressure from parameters	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS

	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS

Load case: Default

Rotor

Power (aero)



Torque (aero)



Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction




Yaw error
0
-0,005
-0,01
-0,015
-0,02
-0,025
[°]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Torque about yaw axis
300000
200000
100000
0
-100000
-200000
-300000
[Nm]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint

Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle



Tip deflection (out-of-plane)



Tip deflection (in-plane)



Root torque



Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)




Displacement (u)
0
-0,01
-0,02
-0,03
-0,04
-0,05
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (v)
0
-0,1
-0,2
-0,3
-0,4
-0,5
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (w)
0,04
0,03
0,02
0,01
0
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint

Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio



Load case: Defined air density

Rotor





Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction



Yaw error



Torque about yaw axis



Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle




Tip deflection (out-of-plane)
[m]
Time [s]
Today
Last checkpoint


Tip deflection (in-plane)
[m]
Time [s]
Today
Last checkpoint


Root torque
[k Nm]
Time [s]
Today
Last checkpoint

Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)



Displacement (u)



Displacement (v)



Displacement (w)



Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio



Load case: Density from parameters

Rotor





Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction



Yaw error



Torque about yaw axis



Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle



Tip deflection (out-of-plane)



Tip deflection (in-plane)



Root torque



Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)



Displacement (u)



Displacement (v)



Displacement (w)



Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio



Load case: Defined viscosity

Rotor





Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction



Yaw error



Torque about yaw axis



Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle



Tip deflection (out-of-plane)



Tip deflection (in-plane)



Root torque



Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)




Displacement (u)
0
-0,01
-0,02
-0,03
-0,04
-0,05
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (v)
0
-0,1
-0,2
-0,3
-0,4
-0,5
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (w)
0,04
0,03
0,02
0,01
0
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint

Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio



Load case: Viscosity from parameters

Rotor





Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction



Yaw error



Torque about yaw axis



Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle



Tip deflection (out-of-plane)



Tip deflection (in-plane)



Root torque



Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)




Displacement (u)
0
-0,01
-0,02
-0,03
-0,04
-0,05
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (v)
0
-0,1
-0,2
-0,3
-0,4
-0,5
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (w)
0,04
0,03
0,02
0,01
0
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint

Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio



Load case: User defined atm pressure

Rotor



Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction



Yaw error



Torque about yaw axis



Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle



Tip deflection (out-of-plane)



Tip deflection (in-plane)



Root torque



Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)




Displacement (u)
0
-0,01
-0,02
-0,03
-0,04
-0,05
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (v)
0
-0,1
-0,2
-0,3
-0,4
-0,5
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (w)
0,04
0,03
0,02
0,01
0
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint

Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio



Load case: Pressure from parameters

Rotor





Thrust (aero)



RPM



TSR



Representative demanded pitch angle



Power coef. (CP)



Thrust coef. (CT)



Torque coef. (CQ)



Tip speed



1P (one revolution)



nP (blade passing)



Azimuth angle



Rotation per timestep



Wind speed at hub, magnitude



Wind angle at hub



Yaw angle relative to forward



Yaw angle to reference direction



Yaw error



Torque about yaw axis



Generator

Power (electrical)



Torque



Torque on main shaft



Torque diff. on main shaft



RPM



Filtered RPM







Demanded pitch controller

Demanded collective pitch angle



Cumulative demanded collective pitch angle



Demanded collective pitch angle rate



Set point



RPM error



P term



I term



D term



Gain scheduling factor



Blade [Time] [Blade 1]

Root force (magnitude)



Root moment (magnitude)



Root moment (out-of-plane)



Root moment (in-plane)



Root moment about shaft



Pitch angle



Tip deflection (out-of-plane)



Tip deflection (in-plane)



Root torque



Node [Node Hub | Hub]

Position (x)



Position (y)



Position (z)




Displacement (u)
0
-0,01
-0,02
-0,03
-0,04
-0,05
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (v)
0
-0,1
-0,2
-0,3
-0,4
-0,5
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint


Displacement (w)
0,04
0,03
0,02
0,01
0
[m]
0
10
20
30
40
50
60
Time [s]
Today
Last checkpoint

Displacement magnitude



Speed



Acceleration, magnitude



Rotational displacement (ru)



Rotational displacement (rv)



Rotational displacement (rw)



Rotational displacement magnitude



Rotational speed



Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio