

Regression test

Test run started 2025-08-27T02:18:21Z
Ashes version: 3.32.0

TurbSim wind parameters			
Load case set 1			
Load case	Time series	Error score	
Load case 1	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS

	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 2	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS

	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS

	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 3	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS

	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 4	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS

	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS

	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 5	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS

	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 6	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS

	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS

	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 7	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS

	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 8	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS

	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS

	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 9	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS

	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 10	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS

	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS

	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 11	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS

	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 12	Power (aero)	0.000000	PASS

	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS

	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 13	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS

	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS

	Displacement damping ratio	0.000000	PASS
Load case 14	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS

	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 15	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS

	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS

	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 16	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS

	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 17	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS

	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS
	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS


	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS
Load case 18	Power (aero)	0.000000	PASS
	Torque (aero)	0.000000	PASS
	Thrust (aero)	0.000000	PASS
	RPM	0.000000	PASS
	TSR	0.000000	PASS
	Representative demanded pitch angle	0.000000	PASS
	Power coef. (CP)	0.000000	PASS
	Thrust coef. (CT)	0.000000	PASS
	Torque coef. (CQ)	0.000000	PASS
	Tip speed	0.000000	PASS
	1P (one revolution)	0.000000	PASS
	nP (blade passing)	0.000000	PASS
	Azimuth angle	0.000000	PASS
	Rotation per timestep	0.000000	PASS
	Wind speed at hub, magnitude	0.000000	PASS
	Wind angle at hub	0.000000	PASS
	Yaw angle relative to forward	0.000000	PASS
	Yaw angle to reference direction	0.000000	PASS
	Yaw error	0.000000	PASS
	Torque about yaw axis	0.000000	PASS
	Power (electrical)	0.000000	PASS
	Torque	0.000000	PASS
	Torque on main shaft	0.000000	PASS
	Torque diff. on main shaft	0.000000	PASS
	RPM	0.000000	PASS
	Filtered RPM	0.000000	PASS
	Electricity production	0.000000	PASS
	Region	0.000000	PASS
	Demanded collective pitch angle	0.000000	PASS
	Cumulative demanded collective pitch angle	0.000000	PASS
	Demanded collective pitch angle rate	0.000000	PASS
	Set point	0.000000	PASS
	RPM error	0.000000	PASS
	P term	0.000000	PASS
	I term	0.000000	PASS
	D term	0.000000	PASS
	Gain scheduling factor	0.000000	PASS

	Root force (magnitude)	0.000000	PASS
	Root moment (magnitude)	0.000000	PASS
	Root moment (out-of-plane)	0.000000	PASS
	Root moment (in-plane)	0.000000	PASS
	Root moment about shaft	0.000000	PASS
	Pitch angle	0.000000	PASS
	Tip deflection (out-of-plane)	0.000000	PASS
	Tip deflection (in-plane)	0.000000	PASS
	Root torque	0.000000	PASS
	Position (x)	0.000000	PASS
	Position (y)	0.000000	PASS
	Position (z)	0.000000	PASS
	Displacement (u)	0.000000	PASS
	Displacement (v)	0.000000	PASS
	Displacement (w)	0.000000	PASS
	Displacement magnitude	0.000000	PASS
	Speed	0.000000	PASS
	Acceleration, magnitude	0.000000	PASS
	Rotational displacement (ru)	0.000000	PASS
	Rotational displacement (rv)	0.000000	PASS
	Rotational displacement (rw)	0.000000	PASS
	Rotational displacement magnitude	0.000000	PASS
	Rotational speed	0.000000	PASS
	Rotational acceleration mag	0.000000	PASS
	Displacement period	0.000000	PASS
	Displacement logarithmic decrement	0.000000	PASS
	Displacement damping ratio	0.000000	PASS


Load case: Load case 1

Rotor


Power (aero)




Torque (aero)




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor




Blade [Time] [Blade 1]




Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 2


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 3


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude





Speed





Acceleration, magnitude





Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 4


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque







Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 5


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 6


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude





Speed





Acceleration, magnitude





Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 7


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 8


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque







Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 9


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)






Root torque




Node [Node Hub | Hub]







Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 10


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 11


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement




Displacement damping ratio




Load case: Load case 12


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)









Tip deflection (in-plane)




Root torque









Displacement magnitude





Speed





Acceleration, magnitude





Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 13


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque







Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 14


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque







Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 15


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque







Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 16


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque







Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude





Speed





Acceleration, magnitude





Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 17


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag




Displacement period



Displacement logarithmic decrement





Displacement damping ratio




Load case: Load case 18


Rotor




Thrust (aero)




RPM




TSR




Representative demanded pitch angle




Power coef. (CP)




Thrust coef. (CT)




Torque coef. (CQ)




Tip speed




1P (one revolution)




nP (blade passing)




Azimuth angle




Rotation per timestep




Wind speed at hub, magnitude




Wind angle at hub




Yaw angle relative to forward




Yaw angle to reference direction



Yaw error




Torque about yaw axis




Generator


Power (electrical)




Torque




Torque on main shaft




Torque diff. on main shaft




RPM




Filtered RPM



Electricity production




Region




Demanded pitch controller


Demanded collective pitch angle




Cumulative demanded collective pitch angle




Demanded collective pitch angle rate




Set point




RPM error




P term




I term






D term




Gain scheduling factor







Root moment (in-plane)




Root moment about shaft




Pitch angle




Tip deflection (out-of-plane)






Tip deflection (in-plane)




Root torque




Node [Node Hub | Hub]




Displacement (u)




Displacement (v)




Displacement (w)




Displacement magnitude




Speed




Acceleration, magnitude




Rotational displacement (ru)




Rotational displacement (rv)




Rotational displacement (rw)




Rotational displacement magnitude




Rotational speed




Rotational acceleration mag



Displacement period



Displacement logarithmic decrement



Displacement damping ratio

